

quattrot 000 four reasons to change



state of the art technology, brilliant performances

4T is for those who love to stand out, work with modern, innovative and functional equipment. Each product is designed with attention to ergonomics and using the newest technologies in order to improve performances.



sensational looks, style is not a luxury

Attention to detail is important. Style and forms communicate the quality of your work and your organization. In 4T technology and design come together in a perfect balance creating a new style applied to professional cleaning.



tailored innovation

Our vast experience and technical expertise are at your service. We are a young company, yet we rely on craftmanship and expertise wich account for the fortune of the Made in Italy brand and satisfaction of its customers.



to each his own

In a world where everybody sell solutions, we offer you purely tools. We are focused on developping and manufacturing innovative products using the best materials: virgin grade PP for structural parts, POM for the moving parts, loaded plastics for components that undergo mechanical stress.



index









Better ergonomics, less stress,

performing mechanical lever enhanced by an exclusive gear system and technopolymers components



Effective wringing, for a dryer floor thanks to soft rubber inserts in the press bars. It works with all kind of mops



Great endurance: Polymers doped with glass fiber, evolved technical design, product production strictly made in Italy. Qualities that make Prexa a champion of endurance.



PREXA, down press wringer can be mounted on on all 4T buckets and trolleys and is compatible with similar products of the major players on the market. Prexa comes in two versions: Prexo I – POM pressure bars with rubber inserts

- Prexo S POM pressure bars without rubber inserts



prexa

and the second s

| CODE | DESCRIPTION | PCS |
|--------------|--|-----|
| S0100101 | Prexa - I down press wringer, POM wringing bars with rubber inserts. | 1 |
| S0100201 | Prexa - S down press wringer, POM wringing bars without rubber inserts | 1 |
| S0100300 | <mark>Prexa</mark> body, PP | 1 |
| S0100401 | Right splash guard, PP, screws included | 1 |
| S0100501 | Left splash guard, PP, screws included | 1 |
| S0100600 | One pressure bar, made of POM, without rubber insert | 1 |
| S0100700 | One pressure bar, made of POM, with rubber insert | 1 |
| S0100800 | Right set of gears, made of POM | 1 |
| S0100900 | Left set of gears, made of POM | 1 |
| S0101000 | Torsion spring | 1 |
| M0101100 | 10 screws for splash guard | 10 |
| S0100303 | Handle holder | 1 |





Maneuverability and low noise

on the move: "SilentWheel" is the newly designed wheel made of bi-component polymer. Diameter 80mm. Made in Italy, designed and built by 4T



Exceptional strength:

innovative design of the frame; we select only the best virgin plastic, not recycled, to access to the full strength and durability of the material



Better ease of cleaning and hygiene: all surfaces are treated with Easy&Clean coating that grants less adhesion to dirt and liquids thus facilitating maintenencees





GIOTTO 50 It or 30 It, comes with Prexa, available in different configurations



giotto

| CODE | DESCRIPTION | PCS |
|----------|---|-----|
| S0200101 | Giotto - 50LT, comes with: 2 PP buckets each with capacity of 25 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers; central push handle | 1 |
| S0200201 | Giotto - 30LT, comes with: 2 PP buckets each with capacity of 15 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers; central push handle | 1 |
| S0200301 | Giotto - 50LT, comes with: 2 PP buckets each with capacity of 25 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers; lateral push handle | 1 |
| S0200401 | Giotto - 30LT, comes with: 2 PP buckets each with capacity of 15 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers; lateral push handle | 1 |
| S0200501 | Giotto - 50LT, comes with: 2 PP buckets each with capacity of 25 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers | 1 |
| S0200601 | Giotto - 30LT, comes with: 2 PP buckets each with capacity of 15 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers | 1 |
| S0200701 | Giotto - 25LT, comes with: 1 PP bucket with capacity of 25 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers; central push handle | 1 |
| S0200801 | Giotto - 15LT, comes with: 1 PP bucket with capacity of 15 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers; central push handle | 1 |
| S0200901 | Giotto - 25LT, comes with: 1 PP bucket with capacity of 25 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers; lateral push handle | 1 |
| S0201001 | Giotto - 15LT, comes with: 1 PP bucket with capacity of 15 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers; lateral push handle | 1 |

| | CODE | DESCRIPTION | PCS |
|----|--|---|-----------------------|
| | S0201101 | Giotto - 25LT, comes with: 1 PP bucket with capacity of 25 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers | 1 |
| | S0201201 | Giotto - 15LT, comes with: 1 PP bucket with capacity of 15 LT; Prexa down press wringer; Ø 80 mm pivoting wheels; Ø 90mm bumpers | 1 |
| | S0203101 | Giotto TXC 15LT, comes with: base compact, 1 PP bucket with capacity of 15 LT; Prexa down press wringer with handle holder; Ø 80 mm pivoting wheels; Ø 90mm bumpers, handle, PP tray, support for waste bag | 1 |
| | S0203201 | Giotto TXL 25LT, comes with: base large, 1 PP bucket with capacity of 25 LT; Prexa down press wringer with handle holder; Ø 80 mm pivoting wheels; Ø 90mm bumpers, handle, PP tray, support for waste bag | 1 |
| (| COMPONE | NTS | |
| | S0201300 | Base large for Giotto double bucket, PP. Comes with: Ø 80 mm pivoting wheels; Ø 90mm bumpers | 1 |
| 53 | S0201301 | Base compact for Giotto single bucket, PP. Comes with: Ø 80 mm pivoting wheels; Ø 90mm bumpers | 1 |
| | | Bucket PP | |
| | S0201401 S0201402 S0201403 S0201501 S0201502 S0201503 | Bucket 25lt gray, blue handle Bucket 15lt gray, orange handle Bucket 15lt gray, red handle | 1 1 1 1 1 |
| | S0202000 S0202001 | PP tray for Giotto cm 31X22X12 PP tray for Giotto with handles cm 31X22X12 | 1 1 |
| | S0202101 | Support for waste bag | 1 |
| | S0202003 | Support for PP tray and waste bag support | 1 |

| | CODE | DESCRIPTION | PCS |
|-----------|----------|---------------------------------------|-----|
| \square | S0201601 | Double central push handle for Giotto | 1 |
| | S0201701 | Single lateral push handle for Giotto | 1 |
| 1 | S0201801 | Silent Wheel, Ø 80mm wheel | 1 |
| | S0201901 | Bumper Ø90m | 1 |





Superior performances: with a total capacity of 40 LT it's the biggest in its league. With wringer in place, still has 15lt real capacity for waste water. The size further facilitate the

correct washing cycle in 3 phases: 1) impregnation in detergent solution and wringing 2) Washing 3) rinsing and wringing



QuickOut double valve vat drainage system grants a fast waste disposal



Better ease of cleaning and hygiene: all surfaces are treated with Easy&Clean, coating that grants less adhesion to dirt and liquids thus facilitating maintenencees





DUETTO double vat 16 + 24 LT with Prexa, available in 4 configurations, with or without push handle and drain plugs



DUETTO without push handle



DUETTO with push handle

duetto

7

| | CODE | DESCRIPTION | PCS |
|----------|----------------------|--|--------|
| | S0300101 | Duetto double vat bucket, 16LT+24LT capacity, made of PP Comes with: Prexa down press wringer, push handle, 2 QuickOut drain plugs, Ø 80 mm pivoting wheels, Ø90mm bumpers | 1 |
| | S0300201 | Duetto double vat bucket, 16LT+24LT capacity, made of PP Comes with: Prexa down press wringer, push handle, without drain plugs, Ø 80 mm pivoting wheels, Ø90mm bumpers | 1 |
| | S0300301 | Duetto double vat bucket,16LT+24LT capacity, made of PP Comes with: Prexa down press wringer, 2 QuickOut drain plugs, Ø 80 mm pivoting wheels, Ø90mm bumpers | 1 |
| | S0300401 | Duetto double vat bucket,16LT+24LT capacity, made of PP Comes with: Prexa down press wringer, without drain plugs, Ø80 mm pivoting wheels, Ø90mm bumpers | 1 |
| | S0300501 S0300701 | Double vat bucket 16LT+ 24LT, PP. 2 QuickOut drain plugs, without wheels. Double vat bucket 16LT+ 24LT, PP. Without QuickOut drain plugs, | 1 1 |
| | COMPONE | NTS | |
| 0 | S0201801 | Silent Wheel, Ø 80mm wheel | 1 |
| | S0300601 | "Quick Out"; Easy connection drain plug for Duetto | 1 |
| \frown | S0300801 | Push handle for Duetto | 1 |

 $\bigcirc \bigcirc \bigcirc \bigcirc$

0







Manouverability and low noise on the move: "SilentWheel" is the newly designed wheel made of bi-component polymer. o 80mm, made in Italy, designed and built by 4T.



Safety and ease of use

The raised edge of the base of the frame allows buckets to remain firmly in position even when the wringer is not in place.



Better hygiene:

15LT and 25LT buckets are treated with Easy&Clean, coating that grants less adhesion to dirt and liquids thus facilitating maintenence



ARIETE with chrome steel frame or painted steel frame. One bucket 15LT or 25 LT, two buckets 30LT or 50LT total capacity. Prexa downpress wringer standard on all models



ariete

| | CODE | DESCRIPTION | PCS |
|---|--|--|-------------|
| | S0500101 | ARIETE 50 LT, comes with 2 buckets 25 It in PP and Prexa; Tubular frame Ø20mm chromed steel; pivoting wheels Ø 80 mm; bumpers Ø 90mm; handle provided | 1 |
| | S0500201 | ARIETE 30 LT, comes with 2 buckets 15 It in PP and Prexa; Tubular frame Ø20mm chromed steel; pivoting wheels Ø 80 mm; bumpers Ø 90mm; handle provided | 1 |
| | S0500102 | ARIETE 50 LT, comes with 2 buckets 25 It in PP and Prexa; Tubular frame Ø20mm painted steel; pivoting wheels Ø 80 mm; bumpers Ø 90mm; handle provided | 1 |
| | S0500202 | ARIETE 30 LT, comes with 2 buckets 15 It in PP and Prexa; Tubular frame Ø20mm painted steel; pivoting wheels Ø 80 mm; bumpers Ø 90mm; handle provided | 1 |
| | S0500301 | ARIETE 25 LT, comes with 1 bucket 25 It in PP and Prexa; Tubular frame Ø20mm chromed steel; pivoting wheels Ø 80 mm; bumpers Ø 90mm; | 1 |
| 4 | S0500401 | ARIETE 15 LT, comes with 1 bucket 15 It in PP and Prexa; Tubular frame Ø20mm chromed steel; pivoting wheels Ø 80 mm; bumpers Ø 90mm; | 1 |
| | S0500302 | ARIETE 25 LT, comes with 1 bucket 25 It in PP and Prexa; Tubular frame Ø20mm painted steel; pivoting wheels Ø 80 mm; bumpers Ø 90mm; | 1 |
| | S0500402 | ARIETE 15 LT, comes with 1 bucket 15 It in PP and Prexa; Tubular frame Ø20mm painted steel; pivoting wheels Ø 80 mm; bumpers Ø 90mm; | 1 |
| | COMPONE | NTS | |
| | S0500501 S0500502 S0500601 S0500602 | Frame Ariete 50 LT chromed Frame Ariete 50 LT painted Frame Ariete 30 LT chromed Frame Ariete 30 LT painted | 1 1 1 |

| | CODE | DESCRIPTION | PCS |
|----|----------------------------------|--|-------------|
| R. | S0500701 S0500702 | Frame Ariete 15/25 LT chromed Frame Ariete 15/25 LT painted | 1 |
| | S0201401 S0201402 S0201403 | Bucket 25 lt, PP Bucket 25lt gray, orange handle Bucket 25lt gray, red handle Bucket 25lt gray, blue handle | 1 1 1 |
| | S0201501 S0201502 S0201503 | Bucket 15 lt , PP Bucket 15lt gray, orange handle Bucket 15lt gray, red handle Bucket 15lt gray, blue handle | 1 1 1 |
| | S0500801 S0500802 | Chromed push handle for Ariete Painted push handle for Ariete | 1 |
| 0 | S0201801 | Silent Wheel, Ø 80mm wheel | 1 |
| • | S0201901 | Bumper, Ø90mm | 1 |
| | S0500901 | Chromed basket for Ariete 15/25 It | 1 |
| | S0501001 | Chromed basket for Ariete 30/50lt with push handle | 1 |

pratico



| CODE | DESCRIPTION | PCS |
|----------|--|-----|
| C0100102 | PRATICO 1 - multipurpose trolley, painted metal, complete with: Painted tubular base with 4 castors Ø 100mm and 4 bumpers . Wringer support Push handle with 120lt waste bag support, Tilting 120 bag holder Prexa wringer 15 It bucket PP tray with handles Metal tray support | 1 |
| C0100202 | PRATICO 2 - multipurpose trolley, painted metal, complete with: Painted tubular base with 4 castors Ø 100mm and 4 bumpers . Wringer support Push handle with 120lt waste bag support Tilting 120 bag holder Prexa wringer 2 buckets 15lt PP tray with handles Metal tray support Bukets metal support | 1 |

| | | | DOC |
|---|----------------------|---|---------------|
| | CODE C0100302 | PRATICO 3 - multipurpose trolley, painted metal, complete with: Painted tubular base with 4 castors Ø 100mm and 4 bumpers. Push handle with 120 It waste bag support Tilting 120 It bag holder 2 waste bag metal supports 2 waste bag 70It PP holders | PCS 1 1 |
| | C0101102 | Tubular metal base , Ø 22mm , painted, complete with 4 castors Ø 100mm and 4 bumpers | 1 |
| | C0101202 | Push handle, Ø 22 mm, with 120 It waste bag support, fixing bolts incuded | 1 |
| | C0101302 | Wringer support, Ø 22 mm, fixing bolts included | 1 |
| | C0101402 | Tray metal support | 1 |
| | C0101602 | Waste bag holder metal support | 1 |
| | C0101702 | Tilting 120 It waste bag holder, fixing bolts included | 1 |
| | S0100201 | PREXA S down press wringer | 1 |
| | S0201503 S0201501 | Bucket 15 It, blue handle Bucket 15 It, orange handle | 1 |
| | S0202001 | PP tray with handles cm 31X22X12 | 1 |
| 0 | S0202002 | Support for waste bag 70lt | 1 |





Ergonomic, Plano reaches everywhere thanks to its 0° joint, it can reach under every piece of furniture



Quick locking and unlocking of the frame thanks to the new PadTec double spring system



Easy, EasyLock : locks the frame on an ideal position for cleaning high surfaces





FLAT MOPS a complete array of mops can be used with Plano. Quality mops for fast and efficient cleaning of various surfaces



COTTON MIX 70% cotton, 30% polyester yarn. Locked tufting



MICRO BUU Microfiber yarn, looped ends




plano

| | CODE | DESCRIPTION | PCS |
|--|----------------------|---|----------|
| | A0100101 | Plano L, frame, 40cm. Double spring locking/unlocking mechanism, universal connector, "Easy Lock" articulated joint locking system. | 10 |
| | A0100201 | Plano, frame, 40cm. Double spring locking/unlocking mechanism, universal connector. Standard articulated joint. | 10 |
| | A0100301 | Joint set for Plano with Easy Lock | 1 |
| | A0100311 | Joint set for Plano without Easy Lock | |
| | A0100401 | Plunger and spring set for Plano | 1 |
| | A0100501 | Blocking lever set (2 pieces) | 2 |
| | A0100601 | Aluminum handle with ergonomic grip and hole (Ø 23mm; 150cm) | |
| an and the second | | Cotton Mix mop for Plano. 70% cotton, 30% polyester yarn. Locked tufting, polyester support | |
| The second second | T0100141 T0100142 | 40 cm, with pockets and flaps 40 cm, flaps | 25 25 |
| and the second second | | Tri Max mop for Plano. Microfiber, cotton and polyester yarn. Locked tufting, polyester support | |
| | T0100241 T0100242 | 40 cm, with pockets and flaps 40 cm, flaps | 25 25 |
| And a state of the | | Poli Mix mop for Plano.Microfiber, abrasive fiber and polyester. Closed ring and locked tufting; polyester support | |
| Constant and a | T0100341 T0100342 | 40 cm, with pockets and flaps 40 cm, flaps | 25 25 |
| | T0100441 T0100442 | Micro Strip mop for Plano, microfiber, abrasive polyamide stripes 40 cm, with pockets and flaps 40 cm, flaps | 25 25 |


| CODE | DESCRIPTION | PCS |
|----------------------|---|----------|
| T0100541 T0100542 | Micro Plus mop for Plano . Microfiber yarn, heat sealed 40 cm, with pockets and flaps 40 cm, flaps | 25 25 |
| T0100641 T0100642 | Micro Pile mop for Plano. Microfiber yarn and polyester support; ideal for frequent washing 40 cm, with pockets and flaps 40 cm, flaps | 25 25 |





High-impact materials: Indeformable thanks to its aluminum-alloy structure, Bumpers made of elastomers-doped Delrin, Impact and wear resistant

Rubber clips: Volo is compatible with different types of clothes, disposable gauzes and dusters









EasyLock : locks the frame on an ideal


position for cleaning high surfaces

MOPS WITH VELCRO SUPPORT

The Volo system provides an essential but comprehensive set of mops with Velcro support. Fibers and professional-quality yarns to clean easyly different surfaces



POURING





MICRO PLUS Looped end microfiber thread. Heat sealed



MICRO LOOP

Microfiber yarn, closed loop, seamed.



MICRO BUU Microfiber yarn, looped end



volo

| CODE | DESCRIPTION | PCS |
|----------|---|-----|
| A0200101 | Volo with foam – mop holder with Velcro and foam insert. 52 cm aluminum plate. Suitable for all dust catchers and impregnated cloths. Universal connector | 10 |
| A0200201 | Volo L 40 cm – mop holder with Velcro inserts. 40 cm aluminum plate. Universal connector. Comes with: "EasyLock" articulated joint locking mechanism, rubber clips. | 10 |
| A0200301 | Volo L 60 cm – mop holder with Velcro inserts. 60 cm aluminum plate. Universal connector. Comes with: "EasyLock" articulated joint locking mechanism, rubber clips. | 10 |
| A0200401 | <mark>Volo 40 cm</mark> – mop holder with Velcro inserts. 40 cm aluminum plate. Universal connector. Comes with rubber clips | 10 |
| A0200501 | <mark>Volo 60 cm</mark> – mop holder with Velcro inserts. 60 cm aluminum plate. Universal connector. Comes with rubber clips | 10 |
| A0200601 | Volo P 23 cm – pad holder with Velcro inserts. 23 cm aluminium plate. Universal connector. Comes with "Easy Lock" articulated joint locking mechanism. | 10 |
| A0200701 | Volo P 30 cm – pad holder with Velcro inserts. 30 cm aluminium plate. Universal connector. Comes with "Easy Lock" articulated joint locking mechanism. | 10 |
| A0200801 | Volo M 23 cm – pad holder with handle and Velcro inserts. 23 cm aluminium plate, intended for manual use | 10 |
| A0200901 | Volo M 30 cm – pad holder with handle and Velcro inserts. 30 cm aluminium plate, intended for manual use | 10 |

| CODE | DESCRIPTION | PCS |
|----------------------|---|----------|
| T0200144 | Tri Max mop for Volo, cotton and polyester yarn. Locked tufting, polyester support 40 cm, with velcro | 25 |
| T0200244 T0200264 | Cotton Ring mop for Volo, 70% cotton and 30% polyester yarn. Seamed thread, closed loop end 40 cm, with velcro 60 cm, with velcro | 25 25 |
| T0200344 T0200364 | Poli Ring mop for Volo, 70% polyester, 30% cotton yarn. Seamed thread, closed loop end. 40 cm, with velcro 60 cm, with velcro | 25 25 |
| T0200444 T0200464 | Micro Loop mop for Volo, microfiber yarn, closed loop, seamed. 40 cm, with velcro 60 cm, with velcro | 25 25 |
| T0200544 T0200564 | Micro Plus mop for Volo, looped end microfiber thread. Heat sealed 40 cm, with velcro 60 cm, with velcro | 25 25 |
| T0200644 T0200664 | Micro Pile mop for Volo, microfiber yarn 40 cm, with velcro 60 cm, with velcro | 25 25 |
| T0200744 T0200764 | Micro Mix mop for Volo, microfiber yarn with poliamide abrasive zones 40 cm, with velcro 60 cm, with velcro | 25 25 |
| T0200934 | Glass Pad, microfiber pad for cleaning and polishing glass surfaces 32 cm, with velcro | 50 |
| T0201034 | Pad Plus, microfiber yarn with small thread slots. Intended for cleaning furniture and walls 32 cm, with velcro | 50 |





High-impact materials,

PP structure for a great wear resistance, both to chemichal and mechanical agents



EClip Easy Clip, POM made quick detachment lever allows an easy mop swap.



Ease of use, when swapping mops, the hook remains fixed on the pincher.





KENTUKY MOP The K-MOP 4T washing system provides an essential but comprehensive set of highly professional mops of different materials and sizes



Cotton Mop Plus Kentucky cotton mop, open end, with band



K - MicroMop Plus Microfiber and poliamide stripes open ends




k-mop

| | CODE | DESCRIPTION | PCS |
|--------|----------------------------------|--|----------------|
| | A0300101 | <mark>K-mop</mark> PP and POM made mopholder. Ideal for industrial kentucky mops. Universal connector | 10 |
| | A0300201 | clip set for k mop | 1 |
| | A0300301 | Hook lever | 1 |
| | A0300401 | connector | 1 |
| | | K Cotton Mop kentucky cotton mop,open end, without band | |
| | T0300135 T0300140 T0300145 | 350 gr 400 gr | 20 20 20 |
| A line | T0300235 T0300240 T0300245 | K Cotton Plus Mop, kentucky cotton mop, open end, with band 350 gr 400 gr 450 gr | 20 20 20 |
| | T0300528 | K Micro Mop Plus, microfiber and poliamide, open ends 250gr | 15 |
| | T0300422 T0300425 T0300428 | | 50 50 50 |







Better hygiene : The surfaces of the buckets are coated in the Clean & Easy mode for a better cleanability. The dirt screen on the bottom of the bucket helps keeping the water clean optimizing cleaning results and hygiene



Funnel wringer for minimops raised and reinforced

Rigid and resistant thanks to a special polymer, makes wringing more effective. The raised position with respect to the dry edge maximizes effective capacity



Double vat bucket: Total capacity of 15lt. More clean water for greater operational autonomy



_000

MINIMOP The 4T minimop system comprises an essential but comprehensive set of minimop replacements. Minimop suitable for use with Nemo and Ambo for fast and effective cleaning of small areas

Micro Strips

First grade microfiber, better performance, suitable for every use



Micro Mix Mix microfiber / cotton yarn. Indicated for porous surfaces



Tex Plus Ideal for smooth floors, it helps drying quickly after use



Cotton Mop For every type of floor, high strength, high absorbency



ambo & nemo

| CODE | DESCRIPTION | PCS |
|----------|---|-----|
| S0400101 | <mark>Ambo</mark> Double vat bucket with minimop wringer. Made of PP, 15 It total capacity. Comes with funnel wringer | 10 |
| S0400201 | <mark>Nemo</mark> Bucket with minimop wringer. Made of PP, 12 It capacity. Comes with funnel wringer | 10 |
| S0400301 | Double vat bucket, PP, 15 It total capacity, | 10 |
| S0400401 | Bucket, PP, 12 It capacity | 10 |
| S0400501 | Funnel wringer for minimops, PP reinforced with glass fiber | 1 |


$\bigcirc \bigcirc \bigcirc \bigcirc$

| | CODE | DESCRIPTION | PCS |
|--|----------------------|---|-----------|
| | S0400601 | Dirt saver screen for buckets | 1 |
| 6 | | Cotton Fine minimop, extra large size. Made of fine cotton thread, standard threaded connector. | |
| | T0400124 | 250 gr | 50 |
| W | | Cotton Mop minimop. Made of medium cotton thread, standard threaded connector. | |
| and the second sec | T0400218 T0400222 | 190 gr 220 gr | 100 50 |
| 2 th | | Micro Strips minimop. Stripes made of high absorbency microfiber, standard threaded connector. | |
| | T0400318 | 180 gr | 25 |
| 1 Anna anna anna anna anna anna anna ann | | Micro Gray minimop gray, Stripes made of high absorbency microfiber, standard threaded connector | |
| 1 pr | T0400320 | 200 gr | 12 |
| | | Micro Mix minimop. Made of microfiber and cotton, it has enhanced resistance and absorbency. Standard threaded connector | |
| | T0400422 | 225 gr | 20 |

°°° window cleaning

bγ **L€**₩Ι






The 4T WINDOW CLEANING LINE is developed in partnership with LEWI PROFESSIONAL WINDOW CLEANING TOOLS, German leading firm in this field. It includes highly professional tools of the greatest quality and effectiveness, very well known and appreciated by all window cleaning specialists around the world.



BIONIC bi-components ergonomic handle, better grip in all situations.



Window squeegee supports, adjustable, all borders are rounded to prevent any accidental injury or scratch



Window squeegee rubbers, universal natural vulcanized rubber. Best cleaning efficiency and resistance.

OOO PCS

| | CODE | DESCRIPTION | PCS |
|---|--|--|----------------------------|
| | | Squeegee BIONIC made of stainless steel and bi-component ergonomic handle | |
| | V10510 V10511 V10512 V10512 | 25 cm 35 cm 45 cm 55 cm | 10 10 10 10 |
| | V10534 | Bi-component ergonomic handle , better grip, improved comfort and safety of use | 20 |
| | V10520 V10521 V10522 V10523 | Squeegee CLASSIC made of stainless steel,comes with rubber grip 25 cm 35 cm 45 cm 55 cm | 10 10 10 10 |
| | V10535 | Handle CLASSIC non-slip rubber grip, safety hole prevents accidental falls when mounted on poles | 20 |
| | | BIONIC DUO Washing and squeegeeing all in one , safety hole prevents accidental falls when mounted on poles | |
| | V10501 V10502 | 35 cm 45 cm | 10 10 |
| | V11020 V11022 V11024 V11025 V11026 | Rubber blade Vulcanized rubber , medium hardness (shore 53°) universal use, high efficiency and resistance 25 cm 35 cm 45 cm 55 cm 92 cm | 10 10 10 10 10 |
| | | Channels , stainless steel, no-scratch design, adjustable position, rubber included | |
| | V11006 V11007 V11008 V11009 | 25 cm 35 cm 45 cm 55 cm | 25 25 25 25 |
| 7 | V10038 V10039 V10040 V10041 | T bar foe washers, alluminium bar, plastic handle with safety hole prevents accidental falls when mounted on poles 25 cm 35 cm 45 cm 55 cm | 10 10 10 10 |
| | | WHITE STAR washers Polyester fabric, Velcro fastener | |
| | V10004 V10005 V10006 | Cm 25 Cm 35 Cm 45 | 10 10 10 |

$\bigcirc \bigcirc \bigcirc \bigcirc$

| | CODE | DESCRIPTION | PCS |
|----------|----------------------------------|---|----------------------|
| | V10012 V10013 V10014 | BLUE STAR washer, polyester and microfiber fabric, Velcro fastener 25 cm 35 cm 45 cm | 10 |
| | 12019 12020 12021 | Two sections pole - inside twisting locking mechanism 200cm (2X100) 300cm (2x150) 400 cm (2x200) | 10 |
| | 12001 12002 12003 12004 | Two sections poles, alluminium, IP technology: no twisting, safe connections, no falls. 250 cm (2x125) 300cm (2x150) 400cm (2x200) 500cm (2x250) | 10 10 10 10 |
| | 12006 12007 12008 | Three sections poles, alluminium, IP technology: no twisting, safe connections, no falls 300cm (3x100) 450cm (3x150) 600cn (3x200) | 10 10 10 |
| | 12012 12013 | Four section poles, alluminium, IP tecnology: no twisting, safe connections, no falls 600cm (4x150) 800cm (4x200) | 10 10 |
| | 12022 | Angle joint for poles | 1 |
| 50 | V20001 V20011 | Wall brush - curved Wall brush - C shape | 10 |
| | V20002 | Wall brush - angle | 10 |
| 0 -10-20 | V11501 | Safety scraper with retractable blade, 4 cm | 20 |
| · (con) | V11502 | Safety scraper with retractable blade, 4 cm with rubber cover. | 15 |
| | V11500 | Surfaces scraper BIONIC, ergonomic bi-component handle, 10 cm, blade cover | 10 |

| | CODE | DESCRIPTION | PCS |
|--------------------|--|---|----------------------|
| | V11503 V11504 | Floor scraper , alluminium exstension , 10cm blade with cover 25 cm 120 cm | 5 5 |
| H | V11513 | Blades for scrapers, 4cm 5pcs plastic box | 10 |
| | V11511 | Blades for scrapers, 10 cm 10pcs plastic box | 10 |
| Lagar | V13500 | Bucket 22 It for window washers up to 45 cm | 6 |
| CLOTHS AND SPONGES | | | |
| AI / | P15004 | Chamois leather 100% natural sheepskin for windows and surfaces cleaning Cm 60x40 | 10 |
| | P0100001 P0100002 P0100003 P0100004 | Microfiber cloths 40 CM X 40CM Blue Red Yellow Green | 12 12 12 12 |
| | P0200001 | Microfiber cloths for windows 40cm x 40cm Blue | 50 |
| | P0300001 P0300002 P0300003 P0300003 | 10 pcs sponges package, no schatch white fiber Blue Red Yellow Green | 10 10 10 10 |
| | P0310000 | Classic tabacco sponge with abrasive fiber , 10 pcs package. | 12 |

floor squeegees



| CODE | DESCRIPTION | PCS |
|----------------------------------|---|----------------|
| A0500401 A0500501 A0500701 | Floor squeegee made of PP with black foam rubber blade 45 cm 55 cm 75 cm | 12 12 12 |
| A0501401 A0501501 | Floor squeegee made of metal with black foam rubber blade 45 cm 55 cm | 25 25 |

dusting system

| \bigcirc | \bigcirc | \bigcirc |
|------------|------------|------------|
| \bigcirc | \bigcirc | |

| | CODE | DESCRIPTION | PCS |
|------------|--|---|----------------------|
| \bigcirc | | FRAME foldable metal frame for dusting mops. Zinc coated steel joint; comes in different lengths | |
| Louid | A0400101 A0400102 A0400103 A0400104 | 40cm 60cm 80cm 100cm | 10 10 10 10 |
| | A0400201 A0400202 A0400203 A0400204 | FOLDABLE PP FRAME with metal terminals, for dusting mops; comes in different lenghts 40cm 60cm 80cm 100cm | 10 10 10 10 |
| | T0500140 T0500160 T0500180 T0500110 | Dusting cotton mop; 70% cotton, 30% polyester. Double stitching on all 4 sides for increased durability; 40cm with pockets 60cm with pockets 80cm with pockets 100cm with pockets | 25 25 25 25 |
| | | Dusting acrylic mop ; 100% acrylic; with pockets. Double stitching on all 4 sides for increased durability | |
| | T0500240 T0500260 T0500280 T0500210 | 40cm with pockets 60cm with pockets 80cm with pockets 100cm with pockets | 25 25 25 25 |
| | S0500302 | Spazzina Outdoor plastic broom | 24 |
| | S0500402 | Garden outdoor plastic broom | 24 |
| | S0201201 S0201301 S2011401 | Dustbin Strong with open/close system with handle Dustbin with handle Outdoor supersized dustbin with handle | 1 1 1 |
| | | | |

quattrot



thousands are the companies that work within the plastic district where 4T was born. 4T operates with the technology, the passion, the expertise and network resources of one of the most important Italian industrial districts.

100% first choice

100% virgin grade plastic. Thirty years of experience in product development and plastics molding have taught us how to ensure the mechanical strength and chemical wear resistence appropriate for professional use. We employ: quality polypropylene for buckets and tools, POM for moving parts and gears, fiberglass loaded polymers for parts subjected to greater effort.



4T minimizes the ecological impact of the product life cycle. From design to production, from transport to use, to disposal and recycling. Our starting point are the suppliers close to our production site, in order to reduce pollution derived from transport.

quattrate and technology

In addition to excellence in design and engineering, the quality of the materials makes the difference in determining reliability and durability. Following are the main materials we use in our plastic molding production process

Polypropylene Copolymer

It's the material of which are made all the buckets, the surfaces of the Giotto trolley, Duetto body and that of Prexa. PP copolymer is a thermoplastic elastomer with better mechanical characteristics than the more commonly used Polypropylene monomer.

The PP copolymer is more resistant, melts at a higher temperature, moreover possesses high resistance to chemical agents: it retains its strength characteristics in the presence of aqueous solutions containing salts, acids and strong alkalis. We use only non-recycled PP with great flexibility and strength that provides excellent shock-proof performance at high and low temperatures.

POM Acetal Resin

POM is a semi-crystalline copolymer of great mechanical characteristics. It is characterized by a series of properties that place it as an alternative solution to replace some metals such as steel, brass, aluminum in many mechanical components. Null water absorption, great dimensional precision and mechanical stability call for it's use whenever strenght and thight tolerances are required.

With the selection of first choice POM, 4T maximizes hardness, stability and the wear resistance. Gears and jaws Prexa, all coupling systems and levers and moving parts of tools, Plano as well as Flight and mop clamp are made of POM

Composite plastics

Our strong expertise and experience in engineering plastics technology applied to cleaning allows us to develop special composite materials when is needed. It is the case with the torque shaft of Prexa loaded with fiberglass which maximize mechanical chemical and wear resistence; Another example is the structure of Plano, for which a particular formulation of ABS that emphasizes the characteristics of lightness, stiffness and impact resistance, was developed.

All items manufactured and sold by 4T Italia srl satisfy all safety requirements and are suitable for professional use. Product data, weights, descriptions and images included in this catalog are to be considered indicative. 4T Italia srl, aiming to a continuous product improvement, reserves the right to modify product features and catalog contents at any time and without any notice.

All images, pictures, drawing and logos and any other representation of 4T products and 4T logos or brands, belong exclusively to 4T Italia srl and, therefore, can not be used in any form or in any way by anyone without an expressed written authorization by 4T Italia srl.





4T Italia Srl www.4titalia.com mail: info@4titalia.com